



MAST CLIMBING WORKING PLATFORMS




- Our Mast Climbing Work Platforms are enabling perfect and secure Work Systems for FACADE WORKS...every Types...for Old and New Buildings..
- Fast Assembling and Disassembling of the Whole Perfect and Strong Platforms !!!!
- You can Configure as you wish... Up to 4500 m2 reachable/covarable !!
- Max Loads up to 3.000 kgs




Option : One/Single Mast

- Max Lifiable Load : up to 1.500 kg
- Max Platform Length : 10 meters
- Platform Section Dimensions : 1.000 mm x 1.500 mm
- Max . Possible Height : up to 150 meters !!!
- Max Freestanding Height : 6 meters
- Lifting Speed : 8 mtrs/min
- Motorpower and Voltage : 2 x 2,2kw and 380 Volt
- Mast Section Weight : 62 kgs
- Mast Section Dimensions : 440 mm x 440 mm x 1.500 mm



Option : Twin Mast

- Max Lifiable Load : up to 3.000 kg
- Max Platform Length : 30 meters
- Platform Section Dimensions : 1.320 mm x 1.500 mm
- Max . Possible Height : up to 150 meters !!!
- Max Freestanding Height : 6 meters
- Lifting Speed : 8 mtrs/min
- Motorpower and Voltage : 2 x 2,2kw and 380 Volt
- Mast Section Weight : 75 kgs
- Mast Section Dimensions : 505 mm x mm x 1.500 mm



- Our Mast Climbing Work Platforms are enabling perfect and secure Work Systems for FACADE WORKS...every Types...for Old and New Buildings..
- Fast Assembling and Disassembling of the Whole Perfect and Strong Platforms !!!!
- You can Configure as you wish... Up to 4500 m2 reachable/covarable !!
- Max Loads up to 3.000 kgs



Perfect Advantages by the Assembly !

- Cheap and Secure Transport ...1.500 m2 covering/Working Area can be Transported with only Truck !
- Assembly Time....for example 4.500 m2 can be assembled in 2 days with only 6 Workers...!!
- Faster moving and more cheaper and lower Costs as a Crane !!
- High Safety



Perfect Advantages in WORK/Operation !!!

- Working Ergonomic is Full Suported/Respected...Any HEIGHT Can be Adjusted !!!!
- Plattform is perfect Designed and have a huge Space..
- Less Numbers of Anchors
- Risk of Intrusion is avoided
- Open Façade
- Less Cleaning and Maintenance Costs
- Very Short ROI (Return of Investment) Period...Top Price !!!



Reference Picture's



Reference Picture's



Reference Picture's

