






and
8.- Fluid Mechanics
& Aerodynamics



PROCESS DIAGRAM AND UNIT ELEMENTS ALLOCATION =















Bench-top unit.

Anodized aluminum structure and panel of painted steel.

Vacuum-meter of range (-9800 [mmH_2O] to 0).

Vacuum-meter of range (-1000 [mmH₂O] to 0)

Manometer of range (0 to 1000 [mmH₂O]).

Manometer of range (0 to 2.5 [bars]).

Mobile Piston (syringe).

8 valves.

Non-return valve.

Polyurethane tubes.

This system is supplied with atm, bares, psi, mmHg, mmH₂O, conversion tables.

This system allows the calibration of 6 sensors (same type) simultaneously.

Manuals: This unit is supplied with the following manuals: Required Services, Assembly and Installation, Starting-up, Safety, Maintenance & Practices Manuals.

DIMENSIONS & WEIGHT =

- Dimensions: 720 x 300 x 570 mm. approx. (28.35 x 11.81 x 22.44 inches approx.).
- Weight: 15 Kg. approx. (33 pounds approx.).

 $\bigstar \text{Specifications subject to change without previous notice, due to the convenience of improvements of the product.}$



C/Del Agua, 14. Polígono Industrial San José de Valderas. 28918 LEGANÉS. (Madrid). SPAIN.

Phone: 34-91-6199363 FAX: 34-91-6198647

 $\hbox{E-mail: edibon@edibon.com} \quad \hbox{WEB site:} \textbf{www.edibon.com}$

Issue: ED01/15 Date: May/2015

K	۲ŀ	'K	ESI	ĖΝ	IA	П١	/E: