Split Air Conditioner Unit





www.edibon.com PRODUCTS 90.- THERMODYNAMICS & THERMOTECHNICS



INTRODUCTION

Air conditioners are used to cool, dehumidify and heat rooms.

There are many types of air conditioning systems in the market, among them the air conditioners with air pump function, to cool or heat.

Split system air conditioners consist of an inner unit and an outer unit. In the inner unit there is a heat exchanger with fan, which can work either as evaporator or condenser according to the cooling or heating operation, respectively.

The outer unit includes: a compressor, another heat exchanger, an expansion element and a switching valve that enables the change from cooling to heating mode. This heat exchanger can also work as evaporator (the refrigerant is evaporated by withdrawing heat to the ambient) or condenser (the refrigerant is condensed and heat is transferred to the ambient according to the operation mode).

The Split Air Conditioner Unit, "TACS", designed by EDIBON allows the study of the operation of a split system air conditioner with heat pump function to heat or cool, apart from other operation modes available.









1

GENERAL DESCRIPTION

The main element of the Split Air Conditioner Unit, "TACS", is a noiseless split system air conditioner mounted in a panel (dividing wall) made of painted steel that simulates a real air conditioning system.

The inner unit with fan is located at the front and the outer unit is located at the back. It includes a rotary compressor, a heat exchanger, a capillary tube for the expansion, a storage tank and a valve to switch the operation mode of the heat pump.

For a better understanding of the cycle, two additional manometers are included to check the refrigerant pressure before and after the compression stage.

The unit can be operated in different modes:

Cooling.

Heating.

Dehumidifying: light cooling.

Ventilation: using only the fan of the inner unit.

Service mode: the user selects the operation of the fan and the desired room temperature with the remote control.

Automatic mode: the user sets a temperature and the service mode is automatically selected till that temperature is reached in function of the real ambient temperature.

The additional functions can be set with the remote control:

Timer for switching on and off (the remaining service time is indicated).

"Sleep" mode: low noise and energy saving.

"Swing" mode: fixed or movable position of the lamella at the air outlet for air distribution.

SPECIFICATIONS

Experimental unit for the training of apprentices in the refrigeration area.

Anodized aluminum frame and panels made of painted steel.

The unit includes wheels to facilitate its mobility.

Main metallic elements made of stainless steel.

Diagram in the front panel with distribution of the elements similar to the real one

Air conditioner:

Power consumption: 1.5 kW approx.

Cooling capacity: 3 kW approx.

Termal power: 3 kW approx.

Maximum air flow (inner unit): 420 m³/h approx.

Dehumidification (inner unit): 0.8 l/h approx.

Timer: 24 h.

Battery-operated remote control.

Operation modes: heating, cooling, dehumidifying, ventilating, service mode and automatic mode.

Additional functions configurable with the remote control: sleep, swing and timer.

Two manometers to measure the low pressure and high pressure of the compressor. Range: -1 to 40 bar.

The unit has been designed to be used with environmental friendly CFC-free refrigerant.

Cables and accessories, for normal operation.

Manuals: This unit is supplied with the following manuals: Required Services, Assembly and Installation, Starting-up, Safety, Maintenance & Practices Manuals.

EXERCISES AND PRACTICAL POSSIBILITIES

- 1.- Study of the assembly and operation of a split system air conditioner. 3.- Study of the three additional functions: 2.- Study of six different operation modes of the air conditioning system: "SLEEP" night function. "SWING" function. Cooling. Heating. Dehumidifying. Ventilating. Automatic service.
 - Service mode (test of cooling function).



Exemplary of a split air conditioner

24h switching on/off timer.

4.- Study of the remote control functions.

REQUIRED SERVICES

- Electrical supply: single-phase, 220V/50Hz or 110V/60Hz.

DIMENSIONS AND WEIGHTS

-Dimensions: 980 x 980 x 1450 mm approx. (38.58 x 38.58 x 57.08 inches approx.) -Weight: 75 Kg approx. (165.34 pounds approx.)

Optional



With no physical connection between unit and computer (PC), this complete software package consists of an Instructor Software (EDIBON Classroom Manager -ECM-SOF) totally integrated with the Student Software (EDIBON Student Labsoft -ESL-SOF). Both are interconnected so that the teacher knows at any moment what is the theoretical and practical knowledge of the students.

Instructor Software

- ECM-SOF. EDIBON Classroom Manager (Instructor Software).

ECM-SOF is the application that allows the Instructor to register students, manage and assign tasks for workgroups, create own content to carry out Practical Exercises, choose one of the evaluation methods to check the Student knowledge and monitor the progression related to the planned tasks for individual students, workgroups, units, etc... so the teacher can know in real time the level of understanding of any student in the classroom.

Innovative features:

- User Data Base Management.
- Administration and assignment of Workgroup, Task and Training sessions.
- Creation and Integration of Practical Exercises and Multimedia Resources.
- Custom Design of Evaluation Methods.
- Creation and assignment of Formulas & Equations.
- Equation System Solver Engine.
- Updatable Contents.
- Report generation, User Progression Monitoring and Statistics.



ETTE. EDIBON Training Test & Exam Program Package - Main Screen with Numeric Result Question



ECM-SOF. EDIBON Classroom Manager (Instructor Software) Application Main Screen



ECAL. EDIBON Calculations Program Package - Formula Editor Screen



ERS. EDIBON Results & Statistics Program Package - Student Scores Histogram

Optional

Student Software

- ESL-SOF. EDIBON Student Labsoft (Student Software).

ESL-SOF is the application addressed to the Students that helps them to understand theoretical concepts by means of practical exercises and to prove their knowledge and progression by performing tests and calculations in addition to Multimedia Resources. Default planned tasks and an Open workgroup are provided by EDIBON to allow the students start working from the first session. Reports and statistics are available to know their progression at any time, as well as explanations for every exercise to reinforce the theoretically acquired technical knowledge.

Innovative features:

- Student Log-In & Self-Registration.
- Existing Tasks checking & Monitoring.
- Default contents & scheduled tasks available to be used from the first session.
- Practical Exercises accomplishment by following the Manual provided by EDIBON.
- Evaluation Methods to prove your knowledge and progression.
- Test self-correction.
- Calculations computing and plotting.
- Equation System Solver Engine.
- User Monitoring Learning & Printable Reports.
- Multimedia-Supported auxiliary resources.

For more information see ICAI catalogue. Click on the following link: www.edibon.com/en/files/expansion/ICAI/catalog



ERS. EDIBON Results & Statistics Program Package - Question Explanation



ESL-SOF. EDIBON Student LabSoft (Student Software) Application Main Screen



EPE. EDIBON Practical Exercise Program Package Main Screen

SMACH I						
	For Table	Plat Function (NO	free Table	Land Yabbe	Open Help (F1)	Ř
Determination of the torque	and the mechanic power	. Determin	nation of Mittional Io		Determination of st	
		400	6		- Tanger	0
	References and the section	A start and part of the				
	contraction (which is its building	a dane (a dari jagina			-	
e kapeni		140	lin	*	10	701
ekgeni		+ 495	lin		1	m
e kipmi		+ m	1 Irr			·M
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		+ AN1	lin			-rm
6 12ml		+ 60)	100			-rm
e tami		4 BB	100			100
a tipul		4 ANI:	line	•		100,
a tipel		+ar	liev	*		100.

ECAL. EDIBON Calculations Program Package Main Screen

* Specifications subject to change without previous notice, due to the convenience of improvement of the product.



C/ Del Agua, 14. Polígono Industrial San José de Valderas. 28918 LEGANÉS. (Madrid). ESPAÑA - SPAIN. Tel.: 34-91-6199363 Fax: 34-91-6198647 E-mail: edibon@edibon.com Web: **www.edibon.com**

Edition: ED01/17 Date: May/2017 **REPRESENTATIVE:**